ELETTRICO
ELECTRIC

EK

ELECTRICAL MOBILE SPACE HEATERS

EK - ELECTRICAL MOBILE SPACE HEATERS

- Heating, drying and ventilating
- Heating high efficiency resistences design
- Built to run non-stop without a break
- Room thermostat integrated
- Extra strength elements AISI 321 for long life performance
- Power selector switch
- Manual reset over heat thermostat
- Stainless steel front grid
- Duct able up to 6 m long (EK 35 - EK 60)
- Stack-ability
- EK 5 and EK 10 equipped with power cord length 4,5 feet and NEMA 5-15P plug (EK5) and NEMA 6-15P plug (EK 10)
- EK 35 and EK 60 equipped with power cord length 4,5 feet, no plugs



ACCESSORIES ON DEMAND

DUCT ADAPTER	FLEXIBLE AIR DUCT 19,6 ft LONG WITH CLIP
Mod. 12" **Cod.** 06AC101	**Mod.** 12" **Cod.** 02AC562
Mod. 14" **Cod.** 06AC106	**Mod.** 14" **Cod.** 02AC563



Legend for EK 35

1 Reset
2 Power selector
3 Light
4 Room thermostat
5 Ambient probe



Legend for EK 60

1 Power switch
2 Resistence power light
3 Over heat thermostat push button manual reset
4 Room thermostat
5 Ambient probe



Legend for EK 5 - 10

1 Overheat thermostat reset button
2 Power switch
3 Room thermostat
4 Room thermostat sensor
5 High-low power switch



PESI E DIMENSIONI MACCHINA *WEIGHTS AND DIMENSIONS MACHINE*					IMBALLO *PACKAGING*			
MOD	A	B	C	Netto/*Net*	X	Y	H	Lordo/*Gross*
	[in]	[in]	[in]	[lb]	[in]	[in]	[in]	[lb]
EK 5	14.5	7.1	11.0	11.0	15.4	10.9	8.5	13.2
EK 10	14.5	7.1	11.0	11.0	15.4	10.9	8.5	13.2
EK 35	22.6	10.9	20.1	33.0	24.0	15.3	12.4	37.5
EK 60	27.6	12.5	21.2	46.3	28.8	17.0	13.8	50.7

			EK 5	EK 10	EK 35	EK 60
code			06EK701	06EK702	06EK703	06EK704
electric supply	supply voltage	V	120	240	240	240
	phases		1~	1	1	3~
	frequency	Hz	60	60	60	60
max power	power	kW	1.5	3	10	18
	-	BTU/h	5,115	10,230	34,100	61,380
	current	A	12.5	12.5	42	47
min power	power	kW	0.75	1.5	-	12
	-	BTU/h	2,558	5,115	-	40,920
temperature rise a 68°F [max/min]		F°	80/58	80/58	100	117/81
airflow		CFM	200	265	1,200	1,500
room thermostat setting temperature		F°	32 ÷ 104	32 ÷ 104	32 ÷ 104	32 ÷ 104
plugs		plug	Nema 5-15P	Nema 6-15P	-	-
power cord		AWG	12	12	8	8